
# TECHNICAL SPECIFICATION SHEET

**PRODUCT NAME:** Thin Client Mount
**PRODUCT CODE:** TCM/001

Doc Rev 2. Product Rev #C 04.08.2016 CF




*Note that dimensions provided are measured in mm

For under desk installation an additional fixing bracket is required e.g. UNI/ROT, UNI/SR350, UNI/SR520

## KEY FEATURES

- Quick and easy installation
- Can mount horizontally under the desk or vertically behind monitor
  *Not suitable for Flo range, Wishbone Dual Bar and Rodney
- Designed to let air circulate to keep the Thin Client from overheating
- Adjustable to suit different Thin Client sizes
- Foam pads to protect thin client

| | |
|---|---|
| **Product Classification** | CPU Holders |
| **Max load** | 12kg (26.4lbs) |
| **Recycled content** | 12.9% |
| **Total product recyclable** | 99% |

bhc furniture
plan - manage - install

## LOGISTICAL

| | |
|---|---|
| **Box contains** | Thin Client mount, adjustable Velcro strap, foam pads |
| **Product net weight:** | 1.1 kg |
| **Box dims (HxWxD)** | 325 x 160 x 55 mm |
| **Box gross weight** | 1.2 kg |
| **Carton quantity** | 20 |
| **Master dims (HxWxD)** | 570 x 330 x 340 mm |
| **Master weight** | 25 kg |
| **Country of origin** | China |
| **Country of configuration** | UK |

## ORDERING INFORMATION

| **Product Description** | **Product code** | **Colour** |
|---|---|---|
| Thin Client Mount | TCM/001 | :/B Black |

## WARRANTY

| | |
|---|---|
| **Warranty Term** | Limited lifetime |

## COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the CPU Holder product sector, all Colebrook Bosson Saunders CPU Holders have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).


| | |
|---|---|
| **Conformance certification** | N/A |
| **Test authority** | CBS |
| **Safety certification** | N/A |

## ENVIRONMENTAL

| Material Make-up | | | Total Recycled Content | Breakdown of Recycled Content | | Total Recyclable | |
|---|---|---|---|---|---|---|---|
| Overall Product | | | Overall Product | | | Overall Product | |
| Material type | Total Material type weight (g) | Percentage of Total Product Weight (%) | Material-Type Recycled Content (%) | Percentage PIR of total weight (%) | Percentage PCR of total weight (%) | Total Product Recyclable (g) | Total Product Recyclable (%) |
| Steel | 1057.0 | 98.9% | 12.9% | **2.2%** | **10.7%** | 1057.0 | **98.9%** |
| Plastic | 2.0 | 0.2% | 0.0% | **0.0%** | **0.0%** | 2.0 | **0.2%** |
| Rubber | 10.0 | 0.9% | 0.0% | **0.0%** | **0.0%** | 10.0 | **0.9%** |
| **Total** | 1069.0 | 100.0% | 12.9% | **2.2%** | **10.7%** | 1069.0 | **100.0%** |

PIR = Post Industrial Recycled

PCR = Post Consumer Recycled




## CLEANING, STORAGE & MAINTENANCE

| | |
|---|---|
| **Routine servicing** | Periodic inspection |
| **Service components** | Available to order |
| **Cleaning & Maintenance** | Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces |
| **Handling & Storage** | Do not drop or expose to moisture |